



## DECLARATION OF PERFORMANCE (DoP)

In accordance with Construction Products Regulation 305/2011EU (CPR)

EN

Identification No.

036-1

|   |  |   |
|---|--|---|
| 1 | Unique identification code of the product-type:<br>Model:  | SP3V5S<br>RVC10   |
| 2 | Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):             | 9016005700  |
| 3 | Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Residential space heating appliances fired by wood pellets (with/without) hot water supply,<br>Standard EN 14785; EN 60335-1; EN 60335-2-102  |
| 4 | Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):                      | MONTEGAN<br>EVA STAMPAGGI S.r.l. Via Cal Longa Z.I 31028 Vazzola (TV) - Italy   |
| 5 | Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):                   | Not applicable  |
| 6 | System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:                          | System 3 and System 4   |
| 7 | In case of the declaration of performance concerning a construction product covered by a harmonised standard   | The notified laboratory "IMQ SPA NB 0051" performed the determination of the product type on the basis of type testing under system 3 and issued test report n°:<br>CS22-0075996-01 |

|  |                     |                        |                     |
|--|---------------------|------------------------|---------------------|
| 8 Declared performance                                   |                     | EN 14785:2006          |                     |
| Harmonized technical specification                       |                     | Performance            |                     |
| Essential characteristic                                 |                     |                        |                     |
| Fire safety  |                     |                        |                     |
| Reaction to fire   |                     | A1                     |                     |
| Distance to adjacent combustible materials               |                     | Minimum distances (mm) |                     |
|  |                     | 100                    | rear                |
|  |                     | 500                    | sides               |
|  |                     | -                      | ceiling             |
|  |                     | 1000                   | front               |
|  |                     | -                      | floor               |
| Risk of burning fuel falling out                         |                     | Pass                   |                     |
| Emission of combustion products at 13% di O <sub>2</sub> |                     |                        |                     |
|  | Nominal Heat Output |                        | Reduced Heat Output |
| CO   | 176                 | mg/Nm3                 | 201                 |
|  | 0,014               | %                      | 0,016               |
| PM   | 15                  | mg/Nm3                 | 20                  |
| OGC  | 1                   | mg/Nm3                 | 7                   |
| NO <sub>x</sub>  | 90                  | mg/Nm3                 | 71                  |
| Pass   |                     |                        |                     |
| Pass   |                     |                        |                     |
| Pass   |                     |                        |                     |
| ----   |                     |                        |                     |
| 178  |                     |                        |                     |
| NPD  |                     |                        |                     |
|  | Nominal Heat Output |                        | Reduced Heat Output |
| Thermal Output   | 10,0                | KW                     | 4,0                 |
| Nominal Heat Output                                      | 10,0                | KW                     | 4,0                 |
| Room heating output                                      | 0                   | KW                     | 0                   |
| Water heating output                                     | 90,5                | %                      | 93,5                |
| Energy efficiency  |                     |                        |                     |

9 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by

10/06/2022 Vazzola (TV) Italy

(place and date of issue)

sig. Claudio Franceschet

(Signature)